



# MACHINING CONDITIONS

DNGG 110404 NS LT 05

T0004589

Material Group	Material Example	Hardness	D.O.C		Feed		Amax	Vc		Advised D.O.C	Advised Feed	Advised Vc		
			min[mm]	max[mm]	min[mm/t]	max [mm/t]	[mm^2]	min [m/min]	max [m/min]	[mm]	[mm/t]	[m/min]		
Aluminium	AI (<8%Si)	13	4% < Si < 8%	100 HB	0.3	4.5	0.1	0.3	0.95	400	1200	2.3	0.27	400
			Si < 4%	60 HB	0.3	4.5	0.1	0.3	0.95	250	600	2.3	0.27	300
	Copper Alloys	14	CuZn30	100 HB	0.3	4.5	0.1	0.35	1.1	150	800	2.3	0.25	250
Non-Metallic	15		Fiber Plastics	-	0.3	4.5	0.1	0.27	0.85	70	500	2.3	0.2	150
			Graphite	-	0.3	4	0.1	0.26	0.73	80	300	1.6	0.18	150
			Hard Rubber	-	0.3	4.5	0.1	0.22	0.69	100	200	2.3	0.16	150